

Complete Kit	Extrusion Only	Extrusion Length	Max. Headstay Length	Max Wire	Max Rod	Luff Tape *	Extrusion Weight	Wear Tape (optional)	Top Cap	Feeder
A-1706-46	A-1706-46-EXT	46' (14m)	50' (15.2m)	5/16" (8m m)	-17	#6 (.197", 5mm Rope Diameter)	0.15 lbs / ft (0.22 kg / m)	TL-154	A-1706-13	A-1706-02
A-1706-59	A-1706-59-EXT	59' (18m)	63' (19.2m)	5/16" (8m m)	-17	#6 (.197", 5mm Rope Diameter)	0.15 lbs / ft (0.22 kg / m)	TL-154	A-1706-13	A-1706-02
A-2506-59	A-2506-59-EXT	59' (18m)	63' (19.2)	3/8" (10m m)	-25	#6 (.197", 5mm Rope Diameter)	0.18 lbs / ft (0.18 kg / m)	TL-205	A-2506-13	A-2506-02
A-2506-72	A-2506-72-EXT	72' (22m)	76' (23.2m)	3/8" (10m m)	-25	#6 (.197", 5mm Rope Diameter)	0.18 lbs / ft (0.18 kg / m)	TL-205	A-2506-13	A-2506-02
1205-36	1205-36-EXT	36' (11m)	40' (12.2m)	1/4" (6mm)	-10	#5 (.159", 4mm Rope diameter)	0.11 lbs / ft (0.16 kg / m)	TL-154	1205-13	1205-02
1205-46	1205-46-EXT	46' (14m)	50' (15.2m)	1/4" (6mm)	-10	#5 (.159", 4mm Rope Diameter)	0.11 lbs / ft (0.16 kg / m)	TL-154	1205-13	1205-02
1706-46	1706-46-EXT	46' (14m)	50' (15.2m)	5/16" (8m m)	-17	#6 (.197", 5mm Rope Diameter)	0.17 lbs / ft (0.25 kg / m)	TL-154	1706-13	1706-02
1706-59	1706-59-EXT	59' (18m)	63' (19.2m)	5/16" (8m m)	-17	#6 (.197", 5mm Rope Diameter)	0.17 lbs / ft (0.25 kg / m)	TL-154	1706-13	1706-02
2206-59	2206-59-EXT	59' (18m)	63' (19.2m)	3/8" (10m m)	-22	#6 (.197", 5mm Rope Diameter)	0.24 lbs / ft (0.36 kg / m)	TL-205	2206-13	2206-02
2206-72	2206-72-EXT	72' (22m)	76' (23.2m)	3/8" (10m m)	-22	#6 (.197", 5mm Rope Diameter)	0.24 lbs / ft (0.36 kg / m)	TL-205	2206-13	2206-02
3007-80	3007-80-EXT	80' (24.3m)	86' (26.1m)	7/16" (11 mm)	-30	#7 (.236", 6mm Rope Diameter)	0.30 lbs / ft (0.45 kg / m)	TL-205	3007-13	3007-02
4807-95	4807-95-EXT	95' (28.9m)	101' (30.7 m)	9/16" (14 mm)	-48	#7 (.236", 6mm Rope Diameter)	0.41lbs / ft (0.62 kg / m)	TL-205	4807-13	4807-02
6008-110	6008-110-EXT	110' (33.5m)	116' (35.4 m)	3/4" (18m m)	-60	#8 (.250", 6.3 mm Rope Diameter)	0.46 lbs / ft (0.69 kg / m)	TL-306	6008-13	6008-02
7608-130	7608-130-EXT	130' (39.6m)	136' (40.8 m)	3/4" (20m m)	-76	#8 (.250", 6.3 mm Rope Diameter)	0.51 lbs /ft (0.77 kg / m)	TL-306	-	7608-02

* #5 Luff tape rope size measures .159", 4 mm with a maximum finished diameter of .185" (4.7mm)

* #6 Luff tape rope size measures .197", 4.7 mm with a maximum finished diameter of .215" (5.4mm)									
* #7 Luff tape rope size measures .236", 6 mm with a maximum finished diameter of .250" (6.3mm)									
* #8 Luff tape rope size measures .250", 6.3 mm with a maximum finished diameter of .280" (7.1mm)									

Spacer Tube
2206-03 44"
2206-03 44"
2206-03 44"
2206-03 44"
2206-03 44"
2206-03 44"
2206-03 44"
2206-03 44"
2206-03 44"
2206-03 44"
2206-03 44"
3007-03 60"
4807-03 72"
7608-03 72"
7608-03 72"
